EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(sort$3 near (control or card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:02
L1	5	extract$3 with key$1 and expand$3 with key with intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 08:54
L2	44	extract$3 with key$1 and expand$3 with key and intermediate with stor$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 08:56
L3	9	extract$3 with key$1 and expand$3 with key and intermediate with stor$3 with key$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 08:56
L4	4	(extract near key) and (expand near key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 08:57
L5	71	((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key $2) and ((expand$3 or length$3) near key$2) and sort$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 08:58
L6	64	((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key $2) and ((expand$3 or length$3) near key$2) and sort$3 and intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:10

L7	8	((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key$2) and ((expand$3 or length$3) near key$2) and sort$3 and intermediate with stor$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:20
L8	627	extract$3 with key$1 and intermediate with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:25
L9	209	extract$3 with key$1 and intermediate with storage with key$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:25
L10	0	extract$3 with key$1 and intermediate with storage with key$1 with "not"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:26
L11	176	extract$3 with key$1 and intermediate with storage with key$1 and sort$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:29
L12	3	extract$3 with key$1 and intermediate with storage with key$1 and sort$3 with record $1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:29
L13	27	BMC and extract with key$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:48
L14	66	(sort$3 near (control or card)) and (parameter$1) and (position$1 with key $1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:56
L15	13177	((707/7) or (707/1,2,3) or (707/101,102)).CCLS.	USPAT; USOCR	OR	OFF	2008/10/14 09:59

L16	5	L15 and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:59
L17	0	L15 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:59
L18	3	L15 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:59
L19	2	L15 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:04
S1	46	(("(4611280") or ("6292830") or ("5581751") or ("5274805") or ("5619692") or ("6163783") or ("4809158") or ("5204967") or ("5206947") or ("5579514") or ("5619693") or ("5852826") or ("5924091") or ("6064881") or ("6226411") or ("6226411") or ("3611316") or ("4295206") or ("4499555") or ("4628483") or ("4760526") or ("5287494") or ("5396622") or ("5421007") or ("5440734") or ("5487164") or ("5519860") or ("5579515") or ("5640554") or ("5646956") or ("5832502") or ("5842207") or ("6061437") or ("6061437") or	USPAT; USOCR	OR	OFF	2006/01/05 17:32

		("6182071") or ("6226634") or ("6226634") or ("6330559") or ("6385612") or ("6427143") or ("6571244") or ("6721751") or ("6928438") or ("5001477") or ("5729732") or ("6065005") or ("6073131") or ("4575798") or ("5210870") or ("5241648).pn.")).PN.				
S3	46	S1 and sort$3	USPAT	OR	OFF	2006/01/05 17:32
S4	46	S1 and sort$3 and key $2	USPAT	OR	OFF	2006/01/05 17:32
S5	18	S1 and sort$3 and ((expand$3 or length $2) with key$2)	USPAT	OR	OFF	2006/01/06 10:43
S6	240486	((obtain$3 or get$3 or fetch) near (record or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 10:44
S7	800	((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key $2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:11
S8	96	((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key $2) and ((expand$3 or length$3) near key$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 10:45
S9	28	((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key $2) and ((expand$3 or length$3) near key$2) and sort$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 10:46
S10	2	(("5579515") or ("6163783")).PN.	USPAT; USOCR	OR	OFF	2006/01/06 12:10
S11	2	S10 and (sort$3)	USPAT	OR	OFF	2006/01/06 12:10

S12	2	S10 and (sort$3) and (intermediate)	USPAT	OR	OFF	2006/01/06 12:10
S13	2	S10 and (sort$3) and (intermediate) and (key$3)	USPAT	OR	OFF	2006/01/06 12:10
S14	1	S10 and (sort$3) and (intermediate) and (key$3) and (extract$3 or remov$3)	USPAT	OR	OFF	2006/01/06 12:16
S15	2	(("5640554") or ("6778977")).PN.	USPAT; USOCR	OR	OFF	2006/01/06 12:17
S16	1	S15 and (sort$3) and (intermediate) and (key$3) and (extract$3 or remov$3)	USPAT	OR	OFF	2006/01/06 12:21
S17	26	(sort$3 near key$3) and ((extract$3 or remov$3) near key$3) and ((expand$3 or increas$3 or long$3) near key$3)	USPAT	OR	OFF	2006/01/06 12:23
S18	35	(sort$3 near key$3) and ((extract$3 or remov$3) near key$3) and ((expand$3 or increas$3 or long$3) near key$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:24
S19	4144	BMC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 12:35
S20	2	BMC and (sort$3 near key$3) and ((extract$3 or remov$3) near key $3) and ((expand$3 or increas$3 or long$3) near key$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 12:36
S21	4	BMC and (sort$3 near key$3) and ((extract$3 or remov$3) near key $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 12:38
S22	441	BMC and (sort$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 12:39

S23	6	BMC and (sort$3) and (control near card$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 12:41
S24	0	BMC and (sort$3) and (identif$3 near key$3 near record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:09
S25	4	(sort$3) and (identif$3 near key$3 near record $3) and (pad$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:09
S26	183	((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key $2) and (pad$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:11
S27	55	((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key $2) and (pad$3) and ((identif$3 or locat$3) near key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:12
S28	3	(extract near key) and (expand near key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:06
S29	118	(extract near key) and (expand or lengthen or increase near key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:06
S30	11	(extract near key) and ((expand or lengthen or increase) near key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:18
S31	182	((expand) adj key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:19

S32	14	((expand) adj key) and sort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:19
S33	49	((expand or lengthen or increased) adj key) and sort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:52
S34	16	((start$3 adj location) with key) and sort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:30
S35	19826	sort$3 and merg$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:31
S36	875	sort$3 and merg$3 and (location$1 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:31
S37	1224	merg$3 and (repeat$3 same (sort$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:54
S38	564	merg$3 and (repeat$3 same (sort$3)) and (database$1 or db$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:55
S39	145	merg$3 and (repeat$3 same (sort$3)) and (database$1 or db$1) and (key$1 with record $1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:56
S40	8	merg$3 and (repeat$3 same (sort$3)) and (database$1 or db$1) and (key$1 with record $1) and (stor$3 same (without with key$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:56
S41	20908	((extract$3 or get$1) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:57

S42	644	((extract$3 or get$1) with key) and ((expand $3 or big$3 or lengthen) with key$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:58
S43	48	((extract$3 or get$1) with key) and ((expand $3 or big$3 or lengthen) with key$1) and (sort$1 with key $1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:59
S44	11	((extract$3 or get$1) with key) and ((expand $3 or big$3 or lengthen) with key$1) and (sort$1 with record $1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:59
S45	8	((extract$3 or get$1) with key) and ((expand $3 or big$3 or lengthen) with key$1) and (sort$1 with key $1) and (sort$3 with record$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:00
S46	14	((extract$3 or get$1) with key) and ((expand $3 or big$3 or lengthen) with key$1) and ((start$3 near locat$3 same key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:01
S47	347122	sort$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:01
S48	4919	(sort$3 near (control or card))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:02
S49	841	(sort$3 near (control or card)) and (parameter$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:02
S51	31	(sort$3 near (control or card)) and (parameter$1) and (position$1 with key $1) and (sort$3 with order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:04

S52	24	(sort$3 near (control or card)) and (parameter$1) and (position$1 with key $1) and (sort$3 with order) and (data with type$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:04
S53	790	(707/7).CCLS.	USPAT; USOCR	OR	OFF	2006/01/20 11:23
S54	1677	("0707102").PN. or (707/101).CCLS.	USPAT; USOCR	OR	OFF	2006/01/20 11:23
S55	324	(S53 or S54) and merg $3 and sort$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:24
S56	6	(S53 or S54) and merg $3 and sort$3 and ((obtain$3 or get$3 or fetch) near (record or data)) and ((extract$3 or remove$3) near key $2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 11:25

10/14/2008 10:19:35 AM
C:\ Documents and Settings\ usaeed\ Desktop\ East work Spaces\ 10618500.wsp